

**The Health Economics of Inpatient Hyperglycemia & Diabetes and Its Management:
*Opportunities for Clinical and Financial Improvement***

References and Key Readings

2009

Falciglia M, Freyberg RW, Almenoff PL, et al. Hyperglycemia-related mortality in critically ill patients varies with admission diagnosis* *Crit Care Med*. 2009 Aug 5. [Epub ahead of print]

2007

Kim S. Burden of hospitalizations primarily due to uncontrolled diabetes: implications of inadequate primary health care in the United States. *Diabetes Care*. 2007;30:1281-2.

2006

CDC Diabetes Public Health Resource Data and Trends page. CDC website. Available at: <http://www.cdc.gov/diabetes/statistics/dmany/fig1.htm>. Accessed March 5, 2006.

Devos P, Preiser JC. Is it time for implementation of tight glycaemia control by intensive insulin therapy in every ICU? *Crit Care*. 2006;10:130.

Furnary AP, Wu Y. Clinical effects of hyperglycemia in the cardiac surgery population: the Portland Diabetic Project. *Endocr Pract*. 2006;12(suppl 3):22-26.

Krinsley JS, Jones RL. Cost analysis of intensive glycemic control in critically ill adult patients. *Chest*. 2006;129:644-650.

Newton CA, Young S. Financial implications of glycemic control: results of an inpatient diabetes management program. *Endocr Pract*. 2006;12(suppl 3):43-48.

Olson L, Muchmore J, Lawrence CB. The benefits of inpatients diabetes care: improving quality of care and the bottom line. *Endocr Pract*. 2006 2006;12(suppl 3):35-42.

Van den Berghe G, Wouters PJ, Kesteloot K, et al. *Crit Care Med*. 2006;34:612-616.

2004

Abourizk NN, Vora CK, Verma PK. Inpatient diabetology. The new frontier. *J Gen Intern Med*. 2004;19:466-471.

Ahmann A. Reduction of hospital costs and length of stay by good control of blood glucose levels. *Endocr Pract*. 2004;10 Suppl 2:53-6.

Clement S, Braithwaite SS, Magee MF, et al. Management of diabetes and hyperglycemia in hospitals. *Diabetes Care*. 2004;27:553-591.

Furnary AP, Wu Y, Bookin SO. Effect of hyperglycemia and continuous intravenous insulin infusions on outcomes of cardiac surgical procedures: the Portland Diabetic Project. *Endocr Pract*. 2004;10 (suppl

2):21-33.

Garber AJ, Seidel J, Armbruster M. Current standards of care for inpatient glycemic management and metabolic control: is it time for definite standards and targets? *Endocr Pract.* 2004;10(suppl 2):10-12.

Grey NJ, Perdrizet GA. Reduction of nosocomial infections in the surgical intensive-care unit by strict glycemic control. *Endocr Pract.* 2004;10 Suppl 2:46-52.

Krinsley JS. Effect of intensive glucose management protocol on the mortality of critically ill adult patients. *Mayo Clin Proc.* 2004;79:992-1000.

Levetan CS. Effect of hyperglycemia on stroke outcomes. *Endocr Pract.* 2004;10(suppl 2):34-39.

Van den Berghe GH. Role of intravenous insulin therapy in critically ill patients. *Endocr Pract.* 2004;10 Suppl 2:17-20.

2003

Estrada CA, Young JA, Nifong LW, et al. Outcomes and perioperative hyperglycemia in patients with or without diabetes mellitus undergoing coronary artery bypass grafting. *Ann Thorac Surg* 2003;75:1392-1399.

Furnary AP, Gao G, Grunkemeier GL, et al. Continuous insulin infusion reduces mortality in patients with diabetes undergoing coronary artery bypass grafting. *J Thorac Cardiovasc Surg.* 2003;125:1007-1021.

Hogan P, Dall T, Nikolov P. Economic cost of diabetes in the US in 2002. *Diabetes Care.* 2003;26:917-932.

Krinsley JS. Association between hyperglycemia and increased hospital mortality in a heterogeneous population of critically ill patients. *Mayo Clin Proc.* 2003;78:1471-1478.

No authors listed. Diabetes QI program cuts complications by 60%. *Hosp Case Manag.* 2003;11:103-104.

2002

Umpierrez GE, Isaacs SD, Bazargan N, et al. Hyperglycemia: an independent marker of in-hospital mortality in patients with undiagnosed diabetes. *J Clin Endocrinol Metab.* 2002; 87:978-982.

2001

Gilman JA. A quality improvement project for better glycemic control in hospitalized patients with diabetes. *Diabetes Educ.* 2001;27:541-546.

Menzin J, Langley-Hawthorne C, Friedman M, et al. Potential short-term economic benefits of improved glycemic control: a managed care perspective. *Diabetes Care.* 2001;24:51-55.

Van Den Berghe G, Wouters P, Weekers F, et al. Intensive insulin therapy in critically ill patients. *N Engl J Med.* 2001;345:1359-1367.

Wagner EH, Sandhu N, Newton KM, et al. Effect of improved glycemic control on health care costs and utilization. *JAMA*. 2001;285:182-189.

2000

Capes SE, Hunt D, Malmberg K, et al. Stress hyperglycaemia and increased risk of death after myocardial infarction in patients with and without diabetes: a systematic overview. *Lancet*. 2000;355:773-778.

1999

Furnary AP, Zerr KJ, Grunkemeier GL, et al. Continuous intravenous insulin infusion reduces the incidence of deep sternal wound infection in diabetic patients after cardiac surgical procedures. *Ann Thorac Surg*. 1999;67:352-360. Discussion 360-362.

1998

Levetan CS, Passaro M, Jablonski K, et al. Unrecognized diabetes among hospitalized patients. *Diabetes Care*. 1998;21:246-249.

1997

Koproski J, Pretto Z, Poretsky L. Effects of an intervention by a diabetes team in hospitalized patients with diabetes. *Diabetes Care*. 1997;20:1553-1555.

Zerr KJ, Furnary AP, Grunkemeier GL, et al. Glucose control lowers the risk of wound infection in diabetics after open heart operations. *Ann Thorac Surg*. 1997;63:356-361.