

Does Glycemic Control Matter During Labor and Delivery?

References and Key Readings

Most Recent Consensus Statements

Moghissi ES, Korytkowski MT, DiNardo M; American Association of Clinical Endocrinologists; American Diabetes Association. American Association of Clinical Endocrinologists and American Diabetes Association consensus statement on inpatient glycemic control. *Endocr Pract.* 2009;15:353-69.

Moghissi ES, Korytkowski MT, DiNardo M; American Association of Clinical Endocrinologists; American Diabetes Association. American Association of Clinical Endocrinologists and American Diabetes Association consensus statement on inpatient glycemic control. *Diabetes Care.* 2009;32:1119-31.

2007

Hawkins JS, Casey BM. Labor and delivery management for women with diabetes. *Obstet Gynecol Clin North Am.* 2007;34:323-34, x.

2006

ACE/ADA Task Force on Inpatient Diabetes. American College of Endocrinology and American Diabetes Association consensus statement on inpatient diabetes and glycemic control. *Endocr Pract.* 2006;12:458-468.

Dobak WJ, Gardner MO. Late preterm gestation: physiology of labor and implications for delivery. *Clin Perinatol.* 2006;33:765-776.

Vidaeff AC, Ramin SM. From concept to practice: the recent history of preterm delivery prevention. Part II: Subclinical infection and hormonal effects. *Am J Perinatol.* 2006;23:75-84.

2005

Walkinshaw SA. Pregnancy in women with pre-existing diabetes: management issues. *Semin Fetal Neonatal Med.* 2005;10:307-315.

2004

American College of Endocrinology Task Force on Inpatient Diabetes and Metabolic Control. ACE Position Statement on Inpatient Diabetes and Metabolic Control. *Endocr Pract.* 2004;10:77-82.

Jovanovic L. Glucose and insulin requirements during labor and delivery: the case for normoglycemia in pregnancies complicated by diabetes. *Endocr Pract.* 2004;10(suppl 2):40-45.

2003

Blanks AM, Thornton S. The role of oxytocin in parturition. *BJOG.* 2003;110(suppl 20):46-51.

Condon JC, Jeyasuria P, Faust JM, et al. A decline in the levels of progesterone receptor coactivators in the pregnant uterus at term may antagonize progesterone receptor function and contribute to the initiation of parturition. *Proc Natl Acad Sci USA*. 2003;100:9518-9523.

Laudanski T, Pierzynski P. Oxytocin and fetal membranes in preterm labor: current concepts and clinical implication. *Gynecol Endocrinol*. 2003;17:261-267.

Ribeiro ML, Farina M, Aisemberg J, et al. Effects of in vivo administration of epidermal growth factor (EGF) on uterine contractility, prostaglandin production and timing of parturition in rats. *Reproduction*. 2003;126:459-468.

2002

Vogel I, Glavind-Kristensen M, Thorsen P, et al. S-relaxin as a predictor of preterm delivery in women with symptoms of preterm labour. *BJOG*. 2002;109:977-982.

2001

Di WL, Lachelin GC, McGarrigle HH, et al. Oestriol and oestradiol increase cell to cell communication and connexin43 protein expression in human myometrium. *Mol Hum Reprod*. 2001;7:671-679.

Jaffe RB. Role of the human fetal adrenal gland in the initiation of parturition. *Front Horm Res*. 2001;27:75-85.

Osmond DT, King RG, Brennecke SP, et al. Placental glucose transport and utilisation is altered at term in insulin-treated, gestational-diabetic patients. *Diabetologia*. 2001;44:1133-1139.

Reis FM, Florio P, Cobellis L, et al. Human placenta as a source of neuroendocrine factors. *Biol Neonate*. 2001;79:150-156.

Svare JA, Hansen BB, Molsted-Pedersen L. Perinatal complications in women with gestational diabetes mellitus. *Acta Obstet Gynecol Scand*. 2001;80:899-904.

Umezaki H, Hess DL, Valenzuela GJ, et al. Fetectomy alters maternal pituitary adrenal function in pregnant rhesus macaques. *Biol Reprod*. 2001;65:1616-1621.

2000

Balsells M, Corcoy R, Adelantado JM, et al. Gestational diabetes mellitus: metabolic control during labour. *Diabetes Nutr Metab*. 2000;13:257-262.

1983

Jovanovic L, Peterson CM. Insulin and glucose requirements during the first stage of labor in insulin-dependent diabetic women. *Am J Med*. 1983;75:607-612.

1982

Caplan RH, Pagliara AS, Beguin EA, et al. Constant intravenous insulin infusion during labor and delivery in diabetes mellitus. *Diabetes Care*. 1982;5:6-10.

Golde SH, Good-Anderson B, Montoro M, et al. Insulin requirements during labor: a reappraisal. *Am J Obstet Gynecol*. 1982;144:556-559.

1978

White P. Classification of obstetric diabetes. *Am J Obstet Gynecol*. 1978;130:228-230.

Yeast JD, Porreco RP, Ginsberg HN. The use of continuous insulin infusion for the peripartum management of pregnant diabetic women. *Am J Obstet Gynecol*. 1978;131: 861-864.

1977

West TE, Lowy C. Control of blood glucose during labour in diabetic women with combined glucose and low-dose insulin infusion. *Br Med J*. 1977;1:1252-1254.

1972

Oakley NW, Beard RW, Turner RC. Effect of sustained maternal hyperglycaemia on the fetus in normal and diabetic pregnancies. *Br Med J*. 1972;1:466-469.

1970

Anderson GG, Cordero L Jr, Hon EH. Hypertonic glucose infusion during labor. Effect on acid-base status, fetal heart rate, and uterine contractions. *Obstet Gynecol*. 1970;36:405-414.

1966

Romney SL, Gabel PV. Maternal glucose loading in the management of fetal distress. *Am J Obstet Gynecol*. 1966;96:698-709.

Takeda Y, Gabel PV, Romney SL. Effects of maternal glucose loading upon induced fetal distress. *Am J Obstet Gynecol*. 1966;96:872-877.