

## Management of Hyperglycemia in the ICU Setting

### Key References and Suggested Reading List

#### **Most Recent Consensus Statements**

Moghissi ES, Korytkowski MT, DiNardo M; American Association of Clinical Endocrinologists; American Diabetes Association. American Association of Clinical Endocrinologists and American Diabetes Association consensus statement on inpatient glycemic control. *Endocr Pract.* 2009;15:353-69.

Moghissi ES, Korytkowski MT, DiNardo M; American Association of Clinical Endocrinologists; American Diabetes Association. American Association of Clinical Endocrinologists and American Diabetes Association consensus statement on inpatient glycemic control. *Diabetes Care.* 2009;32:1119-31.

#### **2009**

Falciglia M, Freyberg RW, Almenoff PL, et al. Hyperglycemia-related mortality in critically ill patients varies with admission diagnosis. *Crit Care Med.* 2009 Aug 5. [Epub ahead of print]

Griesdale DEG, de Souza RJ, van Dam RM, et al. Intensive insulin therapy and mortality among critically ill patients: a meta-analysis including NICE-SUGAR study data. *Canadian Medical Association Journal* 2009;180:821-827.

The NICE SUGAR Study: Finfer S, Chittock DR, Su SY, et al. Intensive versus conventional glucose control in critically ill patients. *N Engl J Med.* 2009;360:1283-1297.

Preiser JC, Devos P, Ruiz-Santana S, et al. A prospective randomised multi-centre controlled trial on tight glucose control by intensive insulin therapy in adult intensive care units: the Glucontrol study. *Intensive Care Med.* Jul 28 2009.

#### **2008**

Brunkhorst FM, Engel C, Bloos F, for the German Competence Network Sepsis (SepNet). Intensive insulin therapy and pentastarch resuscitation in severe sepsis. *N Engl J Med.* 2008;358:125-39.

Kosiborod M, Inzucchi SE, Krumholz HM, et al. Glucometrics in patients hospitalized with acute myocardial infarction: defining the optimal outcomes-based measure of risk. *Circulation.* 2008;117:1018-27.

Treggiari MM, Karir V, Yanez ND, et al. Intensive insulin therapy and mortality in

critically ill patients. *Crit Care*. 2008;12(1):R29.

Wiener RS, Wiener DC, Larson RJ. Benefits and risks of tight glucose control in critically ill adults: a meta-analysis. *JAMA*. 2008;300:933-944.

## **2007**

Anthony M. Treatment of hypoglycemia in hospitalized adults: a descriptive study. *Diabetes Educ*. 2007;33:709-15.

Cook CB, McNaughton DA, Braddy CM, et al. Management of inpatient hyperglycemia: Assessing perceptions and barriers to care among resident physicians. *Endocr Pract* 2007;13:117-125.

Hovorka R, Kremen J, Blaha J, et al. Blood glucose control by a model predictive control algorithm with variable sampling rate versus a routine glucose management protocol in cardiac surgery patients: a randomized controlled trial. *J Clin Endocrinol Metab*. 2007;92:2960-4.

Karon BS, Gandhi GY, Nuttall GA, et al. Accuracy of roche accu-chek inform whole blood capillary, arterial, and venous glucose values in patients receiving intensive intravenous insulin therapy after cardiac surgery. *Am J Clin Pathol*. 2007;127:919-26.

Nazer LH, Chow SL, Moghissi ES. Insulin infusion protocols for critical ill patients: a highlight of differences and similarities. *Endocr Pract* 2007;13:137-146.

Reed CC, Stewart RM, Sherman M, et al. Intensive insulin protocol improves glucose control and is associated with a reduction in intensive care unit mortality. *J Am Coll Surg*. 2007;204:1048-54; discussion 1054-5.

## **2006**

ACE/ADA Task Force on Inpatient Diabetes. American College of Endocrinology and American Diabetes Association consensus statement on inpatient diabetes and glycemic control. *Endocr Pract*. 2006;12:458-468.

Braithwaite SS, Godara H, Song HJ, Rock P. No patient left behind: evaluation and design of intravenous insulin infusion algorithms. *Endocr Pract*. 2006;12 Suppl 3:72-8.

DeSantis AJ, Schmeltz LR, Schmidt K, et al. Inpatient management of hyperglycemia: the Northwestern experience. *Endocr Pract* 2006;12:491-505.

Furnary AP, Braithwaite SS. Effects of outcome on in-hospital transition from intravenous insulin infusion to subcutaneous therapy. *Am J Cardiol.* 2006;98:557-564.

Furnary AP, Wu Y. Clinical effects of hyperglycemia in the cardiac surgery population: the Portland Diabetic Project. *Endocr Pract.* 2006;12 Suppl 3:22-6.

Goldberg PA. Memoirs of a root canal salesman: the successful implementation of a hospital-wide intravenous insulin infusion protocol. *Endocr Pract.* 2006;12 Suppl 3:79-85.

Hellman R. Patient safety and inpatient glycemic control: translating concepts into action. *Endocr Pract.* 2006;12 Suppl 3:49-55.

Hirsch IB. Inpatient diabetes: review of data from the cardiac care unit. *Endocr Pract.* 2006;12 Suppl 3:27-34.

Korytkowski M, Dinardo M, Donihi AC, et al. Evolution of a diabetes inpatient safety committee. *Endocr Pract.* 2006;12 Suppl 3:91-9.

Langley J, Adams G. Insulin-based regimens decrease mortality rates in critically ill patients: a systematic review. *Diabetes Metab Res Rev.* 2006;23:184-92.

Olson L, Muchmore J, Lawrence CB. The benefits of inpatient diabetes care: improving quality of care and the bottom line. *Endocr Pract.* 2006;12 Suppl 3:35-42.

Pittas AG, Siegel RD, Lau J. Insulin therapy and in-hospital mortality in critically ill patients: systematic review and meta-analysis of randomized controlled trials. *J Parenter Enteral Nutr.* 2006;30:164-72.

Van den Berghe G, Wilmer A, Hermans G, et al. Intensive insulin therapy in the medical ICU. *N Engl J Med.* 2006;354:449-461.

Van den Berghe G, Wilmer A, Milants I, et al. Intensive insulin therapy in mixed medical/surgical intensive care units: benefit versus harm. *Diabetes.* 2006;55:3151-3159.

Vanhorebeek I, Langouche L, Van den Berghe G. Intensive insulin therapy in the intensive care unit: update on clinical impact and mechanisms of action. *Endocr Pract.* 2006;12 Suppl 3:14-22.

Vriesendorp TM, van Santen S, DeVries JH, et al. Predisposing factors for hyperglycemia in the intensive care unit. *Crit Care Med.* 2006;34:96-101.

## **2005**

Ku SY, Sayre CA, Hirsch IB, et al. New insulin infusion protocol improves blood glucose control in hospitalized patients without increasing hypoglycemia. *Jt Comm J Qual Patient Saf.* 2005;31:141-147.

Malmberg K, Ryden L, Wedel H; DIGAMI 2 Investigators. Intense metabolic control by means of insulin in patients with diabetes mellitus and acute myocardial infarction (DIGAMI 2): effects on mortality and morbidity. *Eur Heart J.* 2005;26:650-661.

Moghissi ES, Hirsch IB. Hospital management of diabetes. *Endocrinol Metab Clin North Am.* 2005;34:99-116.

Van den Berghe G, Schoonheydt K, Becx P, et al. Insulin therapy protects the central and peripheral nervous system of intensive care patients. *Neurology.* 2005;64:1348-1353.

## **2004**

American College of Endocrinology Task Force on Inpatient Diabetes and Metabolic Control. ACE Position Statement on Inpatient Diabetes and Metabolic Control. *Endocr Pract.* 2004;10:77-82.

Bode BW, Braithwaite SS, Steed RD, Davidson PC: Intravenous insulin infusion therapy: indications, methods, and transition to subcutaneous insulin therapy. *Endocr Pract* 2004;10(suppl 2):71-80.

Braithwaite SS, Buie MM, Thompson CL, et al. Hospital hypoglycemia: not only treatment but also prevention. *Endocr Pract.* 2004;10 Suppl 2:89-99.

Clement S, Braithwaite SS, Magee MF, et al. Management of diabetes and hyperglycemia in hospitals. *Diabetes Care.* 2004;27:553-591.

Furnary AP, Wu Y, Bookin SO. Effect of hyperglycemia and continuous intravenous insulin infusions on outcomes of cardiac surgical procedures: the Portland Diabetic Project. *Endocr Pract.* 2004;10(suppl 2):21-33.

Goldberg PA, Siegel MD, Sherwin RS, et al. Implementation of a safe and effective insulin infusion protocol in a medical intensive care unit. *Diabetes Care.* 2004;27:461-467.

Hellman R. A systems approach to reducing errors in insulin therapy in the inpatient setting. *Endocr Pract.* 2004;10 Suppl 2:100-8.

Krinsley JS. Effect of intensive glucose management protocol on the mortality of critically ill adult patients. *Mayo Clin Proc.* 2004;79:992-1000.

Magee MF, Clement S. Subcutaneous insulin therapy in the hospital setting: issues, concerns, and implementation. *Endocr Pract.* 2004;10 Suppl 2:81-8.

Malmberg K. Role of insulin-glucose infusion in outcomes after acute myocardial infarction: the diabetes and insulin-glucose infusion in acute myocardial infarction (DIGAMI) study. *Endocr Pract.* 2004;10 Suppl 2:13-6.

Moghissi E. Hospital Management of Diabetes "Beyond the Sliding Scale." *Cleve Clin J Med.* 2004;71:801-8.

Pittas AG, Siegel RD, Lau J. Insulin therapy for critically ill hospitalized patients: a meta-analysis of randomized controlled trials. *Arch Intern Med.* 2004;164:2005-2011.

Van den Berghe GH. Role of intravenous insulin therapy in critically ill patients. *Endocr Pract.* 2004;10 Suppl 2:17-20.

### **2003**

Van den Berghe G, Wouters PJ, Bouillon R, et al. Outcome benefit of intensive insulin therapy in the critically ill: Insulin dose versus glycemic control. *Crit Care Med.* 2003;31:359-366.

### **2002**

Markovitz LJ, Wiechmann RJ, Harris N, et al. Description and evaluation of a glycemic management protocol for patients with diabetes undergoing heart surgery. *Endocr Pract.* 2002;8:10-8.

### **2001**

Van den Berghe G, Wouters P, Weekers F, et al. Intensive insulin therapy in the critically ill patients. *N Engl J Med.* 2001;345:1359-1367

### **1999**

Malmberg K, Norhammar A, Wedel H, et al. Glycometabolic state at admission: important risk marker of mortality in conventionally treated patients with diabetes mellitus and acute myocardial infarction: long-term results from the Diabetes and Insulin-Glucose Infusion in Acute Myocardial Infarction (DIGAMI) study. *Circulation.* 1999;99:2626-2632.

### **1997**

Malmberg K. Prospective randomized study of intensive insulin treatment on long-term survival after acute myocardial infarction in patients with diabetes mellitus. *BMJ*. 1997;314:1512-1515.